

At Bishop Bronescombe C of E School our aim is:

1. We **ALL** start on the journey together.



2. **Some** children will need additional support along the way.



3. **Some** children, who feel confident, will be let loose. They will be able to explore deeper into the woods before returning to the group, to continue on with the journey.



4. Children **will not** be racing off ahead on a different journey.



5. Children **will not** be left behind, alone, isolated and disinterested.



6. **ALL** children will have an adventure, taking small, incremental steps to get to the end learning point.

KEY STAGE 2

In Years 3 and 4, children develop the basis of written methods by building their skills alongside a deep understanding of place value. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting. Children use place value equipment to support their understanding, but not as a substitute for thinking.

Key language: partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

Addition and subtraction: In Year 3 especially, the column methods are built up gradually. Children will develop their understanding of how each stage of the calculation, including any exchanges, relates to place value. The example calculations chosen to introduce the stages of each method may often be more suited to a mental method. However, the examples and the progression of the steps have been chosen to help children develop their fluency in the process, alongside a deep understanding of the concepts and the numbers involved, so that they can apply these skills accurately and efficiently to later calculations. The class should be encouraged to compare mental and written methods for specific calculations, and children should be encouraged at every stage to make choices about which methods to apply.

In Year 4, the steps are shown without such fine detail, although children should continue to build their understanding with a secure basis in place value. In subtraction, children will need to develop their understanding of exchange as they may need to exchange across one or two columns. By the end of Year 4, children should have developed fluency in column methods alongside a deep understanding, which will allow them to progress confidently in upper Key Stage 2.

Multiplication and division: Children build a solid grounding in times-tables, understanding the multiplication and division facts in tandem. As such, they should be as confident knowing that 35 divided by 7 is 5 as knowing that 5 times 7 is 35. Children develop key skills to support multiplication methods: unitising, commutativity, and how to use partitioning effectively. Unitising allows children to use known facts to multiply and divide multiples of 10 and 100 efficiently. Commutativity gives children flexibility in applying known facts to calculations and problem solving. An understanding of partitioning allows children to extend their skills to multiplying and dividing 2- and 3-digit numbers by a single digit.

Children develop column methods to support multiplications in these cases.

For successful division, children will need to make choices about how to partition. For example, to divide 423 by 3, it is effective to partition 423 into 300, 120 and 3, as these can be divided by 3 using known facts.

Children will also need to understand the concept of remainder, in terms of a given calculation and in terms of the context of the problem.

Fractions: Children develop the key concept of equivalent fractions, and link this with multiplying and dividing the numerators and denominators, as well as exploring the visual concept through fractions of shapes. Children learn how to find a fraction of an amount, and develop this with the aid of a bar model and other representations alongside.

in Year 3, children develop an understanding of how to add and subtract fractions with the same denominator and find complements to the whole. This is developed alongside an understanding of fractions as numbers, including fractions greater than 1. In Year 4, children begin to work with fractions greater than 1.

Decimals are introduced, as tenths in Year 3 and then as hundredths in Year 4. Children develop an understanding of decimals in terms of the relationship with fractions, with dividing by 10 and 100, and also with place value.

	Year 3			
	Concrete	Pictorial	Abstruct	
Year 3 Addition				
Understanding 100s	Understand the cardinality of 100, and the link with 10 tens. Use cubes to place into groups of 10 tens.	Unitise 100 and count in steps of 100.	Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.	
Understanding place value to 1,000	Unitise 100s, 10s and 1s to build 3-digit numbers.	Use a place value grid to support the structure of numbers to 1,000. Place value counters are used alongside other equipment. Children should understand how each counter represents a different unitised amount.	Represent the parts of numbers to 1,000 using a part-whole model. $ 215 $ $ 200 $ $ 10 $ $ 5 $ Recognise numbers to 1,000 represented on a number line, including those between intervals.	

Adding 100s	Use known facts and unitising to add multiples of 100.	Use known facts and unitising to add multiples of 100.	Use known facts and unitising to add multiples of 100.
	100 bricks bricks 100 bricks bricks 3 + 2 = 5 3 hundreds + 2 hundreds = 5 hundreds 300 + 200 = 500	3 + 4 = 7 3 hundreds + 4 hundreds = 7 hundreds 300 + 400 = 700	Represent the addition on a number line. Use a part-whole model to support unitising. 3 5 2 $3 + 2 = 5$
3-digit number	Use number bonds to add the 1s.	Use number bonds to add the 1s.	300 + 200 = 500 Understand the link with counting on.
+ 1s, no exchange or bridging	214 + 4 = ? Now there are 4 + 4 ones in total. 4 + 4 = 8	H T O Use number bonds to add the ls. $5+4=9$ $245+4$ $5+4=9$	245 + 4 245 246 247 248 249 250 Use number bonds to add the 1s and understand that this is more efficient and less prone to error.
	214 + 4 = 218	245 + 4 = 249	245 + 4 = ? I will add the 1s.

3-digit number + 1s with exchange Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten. Children should explore this using unitised objects or physical apparatus. Children should explore this using unitised objects or physical apparatus. The property of the physical apparatus. Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understand how to bridge by partitioning to the 1s to make the next 10. The property of the 1s to make the next				5 + 4 = 9 Sσ, 245 + 4 = 249
135 + 7 = 142	+ 1s with	more, this requires an exchange of 10 ones for 1 ten. Children should explore this using unitised	Use a place value grid to support the understanding. H T O H T O H T O H T O H T O	Understand how to bridge by partitioning to the 1s to make the next 10. The standard how to bridge by partitioning to the 1s to make the next 10. The standard how to add t

3-digit number + 10s, no exchange	Calculate mentally by forming the number bond for the 10s.	Calculate mentally by forming the number bond for the 10s.	Calculate mentally by forming the number bond for the 10s.
•	100 100	351 + 30 = ?	753 + 40 I know that 5 + 4 = 9 So, 50 + 40 = 90 753 + 40 = 793
	234 + 50 There are 3 tens and 5 tens altogether. 3 + 5 = 8 In total there are 8 tens. 234 + 50 = 284	5 tens + 3 tens = 8 tens 351 + 30 = 381	
3-digit number + 10s, with exchange	Understand the exchange of 10 tens for 1 hundred.	Add by exchanging 10 tens for 1 hundred. $184 + 20 = ?$	Understand how the addition relates to counting on in 10s across 100.
		H T O H T O Soss	184 + 20 = ? I can count in 10s 194 204 $184 + 20 = 204$ Use number bonds within 20 to support efficient mental calculations. $385 + 50$
		184 + 20 = 204	385 + 50 There are 8 tens and 5 tens. That is 13 tens.


			385 + 50 = 300 + 130 + 5 385 + 50 = 435
3-digit number + 2-digit number	Use place value equipment to make and combine groups to model addition.	Use a place value grid to organise thinking and adding of 1s, then 10s.	Use the vertical column method to represent the addition. Children must understand how this relates to place value at each stage of the calculation.
3-digit number + 2-digit number, exchange required	Use place value equipment to model addition and understand where exchange is required. Use place value counters to represent 154 + 72. Use this to decide if any exchange is required. There are 5 tens and 7 tens. That is 12 tens so I will exchange.	Represent the required exchange on a place value grid using equipment. 275 + 16 = ? H T O O O O O O O O O O O O O O O O O O	Use a column method with exchange. Children must understand how the method relates to place value at each stage of the calculation. $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I I}{6} $ $ \frac{H T O}{2 7 5} + \frac{I}{6} $ $ \frac{H T O}{2$


		Children should be encouraged at every stage to select methods that are accurate and efficient.	
3-digit number + 3-digit number, no exchange	Use place value equipment to make a representation of a calculation. This may or may not be structured in a place value grid. 326 + 541 is represented as:	Represent the place value grid with equipment to model the stages of column addition.	Use a column method to solve efficiently, using known bonds. Children must understand how this relates to place value at every stage of the calculation.
	3 2 6 5 4 I		
3-digit number + 3-digit number, exchange required	Use place value equipment to enact the exchange required.	Model the stages of column addition using place value equipment on a place value grid.	Use column addition, ensuring understanding of place value at every stage of the calculation. $ \frac{H T O}{1 2 G} + 2 1 7 7 $
	There are 13 ones. I will exchange 10 ones for 1 ten.		$ \frac{\begin{array}{c c} H & T & O \\ \hline I & 2 & 6 \\ + 2 & J & 7 \\ \hline \hline 4 & 3 \\ \hline \end{array} $
			$ \frac{\begin{array}{c cccccccccccccccccccccccccccccccccc$

9

		H T O	Note: Children should also study examples where exchange is required in more than one column, for example 185 + 318 = ?
Representing addition problems, and selecting appropriate methods	Encourage children to use their own drawings and choices of place value equipment to represent problems with one or more steps. These representations will help them to select appropriate methods.	Children understand and create bar models to represent addition problems. $275 + 99 = ?$ 374 275 99 $275 + 99 = 374$	Use representations to support choices of appropriate methods. ? 275 qq I will add 100, then subtract 1 to find the solution. 128 + 105 + 83 = ? I need to add three numbers.

Year 3 Subtraction			128 + 105 = 233 233 128 105 83 316 233 83
Subtracting 100s	Use known facts and unitising to subtract multiples of 100. 100 bricks 100 bricks 100 bricks $5-2=3$ $500-200=300$	Use known facts and unitising to subtract multiples of 100. $4-2=2$ $400-200=200$	Understand the link with counting back in 100s. 100s. 100 200 300 400 500 400 - 200 = 200 Use known facts and unitising as efficient and accurate methods. I know that $7 - 4 = 3$. Therefore, I know that $700 - 400 = 300$.
3-digit number - 1s, no exchange	Use number bonds to subtract the 1s. $ \begin{array}{c} \hline 000 \\ \hline 10 \text{ LOLLIES} \end{array} $ $ 214 - 3 = ? $	Use number bonds to subtract the 1s. H T O 319 - $4 = ?$	Understand the link with counting back using a number line. Use known number bonds to calculate mentally. 476 - 4 = ?





		H T O	H T O q q q - 3 5 2 - 7 H T O q q q - 3 5 2 - 4 7 H T O q q q - 3 5 2 - 4 7 H T O q q q - 3 5 2 - 6 4 7
3-digit number - up to 3-digit number,	Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.	Model the required exchange on a place value grid.	Use column subtraction to work accurately and efficiently.
number, exchange required		I need to subtract 8 ones, so I will exchange a ten for 10 ones. H T O H T O SSENIN NEED TO S	H T O 1 $\frac{6}{1}$ $\frac{15}{15}$ - $\frac{3}{3}$ $\frac{8}{137}$ If the subtraction is a 3-digit number subtract a 2-digit number, children should understand how the recording relates to the place value, and so how to line up the digits correctly. Children should also understand how to exchange in calculations where there is a zero in the 10s column. H T O 5 0 6 - $\frac{328}{328}$
Representing subtraction problems		Use bar models to represent subtractions.	Children use alternative representations to check calculations and choose efficient methods.

Year 3 Multiplication		'Find the difference' is represented as two bars for comparison. Team A 454 Team B 128 ? Bar models can also be used to show that a part must be taken away from the whole.	Children use inverse operations to check additions and subtractions. The part-whole model supports understanding. I have completed this subtraction. $525 - 270 = 255$ I will check using addition. $\frac{525}{270}$ $\frac{H T O}{2 7 O}$ $+ \frac{2 5 5}{5 2 5}$
Understanding equal grouping and repeated addition	Children continue to build understanding of equal groups and the relationship with repeated addition. They recognise both examples and non-examples using objects. Children recognise that arrays can be used to model commutative multiplications.	Children recognise that arrays demonstrate commutativity. This is 3 groups of 4. This is 4 groups of 3.	Children understand the link between repeated addition and multiplication. $ \begin{array}{cccccccccccccccccccccccccccccccccc$

		T T	2/
	I can see 3 groups of 8. I can see 8 groups of 3.		24 4 4 4 4 4 4 4 6 6 × 4 = 24
Using commutativity to support understanding of the timestables	Understand how to use times-tables facts flexibly.	Understand how times-table facts relate to commutativity.	Understand how times-table facts relate to commutativity. I need to work out 4 groups of 7. I know that 7 × 4 = 28 so, I know that
	There are 6 groups of 4 pens. There are 4 groups of 6 bread rolls. I can use 6 × 4 = 24 to work out both totals.	6 × 4 = 24 4 × 6 = 24	4 groups of 7 = 28 and 7 groups of 4 = 28.
Understanding and using ×3,	Children learn the times-tables as 'groups of', but apply their knowledge of commutativity.	Children understand how the ×2, ×4 and ×8 tables are related through repeated doubling.	Children understand the relationship between related multiplication and division facts in known times-tables.

×2, ×4 and ×8 tables.	I can use the ×3 table to work out how many keys. I can also use the ×3 table to work out how many batteries.	3 x 2 = 6 3 x 4 = 12 3 x 8 = 24	2 × 5 = 10 5 × 2 = 10 10 ÷ 5 = 2 10 ÷ 2 = 5
Using known facts to multiply 10s, for example 3 × 40	Explore the relationship between known times-tables and multiples of 10 using place value equipment. Make 4 groups of 3 ones. Make 4 groups of 3 tens. What is the same? What is different?	Understand how unitising 10s supports multiplying by multiples of 10. 1	Understand how to use known times-tables to multiply multiples of 10.
Multiplying a 2-digit number	Understand how to link partitioning a 2-digit number with multiplying.	$4 \times 2 = 8$ $4 \times 20 = 80$ Use place value to support how partitioning is linked with multiplying by a 2-digit number.	Use addition to complete multiplications of 2-digit numbers by a 1-digit number.

by a 1-digit number

Each person has 23 flowers.


Each person has 2 tens and 3 ones.



There are 3 groups of 2 tens.

There are 3 groups of 3 ones.

Use place value equipment to model the multiplication context.



There are 3 groups of 3 ones.

There are 3 groups of 2 tens.

3	x	24	=	2
J	~	27	_	

Т	0

 $3 \times 4 = 12$

Т	0
	8888
	000

 $3 \times 20 = 60$

60 + 12 = 72

 $3 \times 24 = 72$

4	x	13	=	?

$$4 \times 3 = 12$$


 $4 \times 3 = 12$ $4 \times 10 = 40$

Multiplying a 2-digit number by a 1-digit

Use place value equipment to model how 10 ones are exchanged for a 10 in some multiplications.

Understand that multiplications may require an exchange of 1s for 10s, and also 10s for 100s.

Children may write calculations in expanded column form, but must understand the link with place value and exchange.




Using timestables knowledge to divide Use knowledge of known times-tables to calculate divisions.



24 divided into groups of 8. There are 3 groups of 8.

Use knowledge of known times-tables to calculate divisions.



48 divided into groups of 4. There are 12 groups.

Use knowledge of known times-tables to calculate divisions.

I need to work out 30 shared between 5.

I know that $6 \times 5 = 30$ so I know that $30 \div 5 = 6$.


A bar model may represent the relationship between sharing and grouping.




$$24 \div 4 = 6$$

 $24 \div 6 = 4$

Children understand how division is related to both repeated subtraction and repeated addition.





Understanding	Use equipment to understand that a	Use images to explain remainders.	Understand that the remainder is what
remainders	remainder occurs when a set of objects		cannot be shared equally from a set.
	cannot be divided equally any further.	00000	22 ÷ 5 = ?
		••••	22 + 3 = ?
		••••	3 × 5 = 15
	There are 13 sticks in total.	22 ÷ 5 = 4 remainder 2	4 × 5 = 20
	There are 3 groups of 4, with 1 remainder.		5 × 5 = 25 this is larger than 22
	There are 3 groups of 1, was trestauras.		Sσ, 22 ÷ 5 = 4 remainder 2
Using known	Use place value equipment to understand	Divide multiples of 10 by unitising.	Divide multiples of 10 by a single digit
facts to divide	how to divide by unitising.		using known times-tables.
multiples of 10	Make 6 ones divided by 3.		180 ÷ 3 = ?
			180 is 18 tens.
	Now make 6 tens divided by 3.	12 tens shared into 3 equal groups.	18 divided by 3 is 6. 18 tens divided by 3 is 6 tens.
		4 tens in each group.	10 teris tiwitied by 3 is 0 teris.
			18 ÷ 3 = 6
			180 ÷ 3 = 60
	What is the same? What is different?		
2-digit number	Children explore dividing 2-digit numbers	Children explore which partitions support	Children partition a number into 10s and 1s
divided by	by using place value equipment.	particular divisions.	to divide where appropriate.
1-digit number,			
no remainders		(42)	(68)
			\mathcal{N}
		(40)(2)	(60) (8)
		G111111111	
		CTCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	60 ÷ 2 = 30
	48 ÷ 2 = ?		8 ÷ 2 = 4
			30 + 4 = 34

	First divide the 10s. Then divide the 1s.	I need to partition 42 differently to divide by 3. $ \begin{array}{c} 30 \\ 12 \\ \hline 12 \\ \hline 130 \\ 12 \\ 12 \\ 130 \\ 12 \\ 142 + 3 = 14 \end{array} $ $ 42 = 30 + 12 $ $ 42 \div 3 = 14 $	$68 \div 2 = 34$ Children partition flexibly to divide where appropriate. $42 \div 3 = ?$ $42 = 40 + 2$ I need to partition 42 differently to divide by 3. $42 = 30 + 12$ $30 \div 3 = 10$ $12 \div 3 = 4$ $10 + 4 = 14$ $42 \div 3 = 14$
2-digit number divided by 1-digit number, with remainders	Use place value equipment to understand the concept of remainder. Make 29 from place value equipment. Share it into 2 equal groups. There are two groups of 14 and 1 remainder.	Use place value equipment to understand the concept of remainder in division. $29 \div 2 = ?$ $29 \div 2 = 14 \text{ remainder 1}$	Partition to divide, understanding the remainder in context. 67 children try to make 5 equal lines. 67 = 50 + 17 50 ÷ 5 = 10 17 ÷ 5 = 3 remainder 2 67 ÷ 5 = 13 remainder 2 There are 13 children in each line and 2 children left out.


	place value equipment to understand lace value of 4-digit numbers.	Pictorial Represent numbers using place value counters once children understand the relationship between 1,000s and 100s. 1000 1000 100 100 100 100 100 10 10 10 1	Abstruct Understand partitioning of 4-digit numbers, including numbers with digits of 0.
Addition Understanding Use plant the plant		counters once children understand the relationship between 1,000s and 100s.	including numbers with digits of 0.
numbers to the pla		counters once children understand the relationship between 1,000s and 100s.	including numbers with digits of 0.
	rusands equal 4,000. rusand is 10 hundreds.		(5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60) (8) (5.000) (60)
mental mental mental methods where appropriate Make 1 Add 2, Now a 1 thous	unitising and known facts to support al calculations. 2,1,405 from place value equipment. 2,000. add the 1,000s. ausand + 2 thousands = 3 thousands 5 + 2,000 = 3,405	Use unitising and known facts to support mental calculations. The Head Teacher Teach	Use unitising and known facts to support mental calculations. 4,256 + 300 = ? 2 + 3 = 5

Column addition with exchange

Use place value equipment on a place value grid to organise thinking.

Ensure that children understand how the columns relate to place value and what to do if the numbers are not all 4-digit numbers.


Use equipment.to show 1,905 + 775.





Why have only three columns been used for the second row? Why is the Thousands box empty?


Which columns will total 10 or more?

Use place value equipment to model required exchanges.










Include examples that exchange in more than one column.

Use a column method to add, including exchanges.



	Th	\bigoplus	Т	0
	1	5	5	4
+	4	2	3	7
		7	9	1
		0	ı	

Include examples that exchange in more than one column.

Representing additions and checking strutegies		Bar models may be used to represent additions in problem contexts, and to justify mental methods where appropriate. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use rounding and estimating on a number line to check the reasonableness of an addition. 1.000 2.000 3.000 4.000 5.000 6.000 7.000 8.000 9.000 10.000 1.000 4 6,149 = ? I used rounding to work out that the answer should be approximately 1,000 + 6,000 = 7,000.
Year 4 Subtraction		6,000 2,999 3,001 This is equivalent to 3,000 + 3,000.	
Choosing mental methods where appropriate	Use place value equipment to justify mental methods. What number will be left if we take away 300?	Use place value grids to support mental methods where appropriate. The Horizontal The Toleran Science of the S	Use knowledge of place value and unitising to subtract mentally where appropriate. 3,501 - 2,000 3 thousands - 2 thousands = 1 thousand 3,501 - 2,000 = 1,501

Column Understand why exchange of a 1,000 for Represent place value equipment on a place Use column subtraction, with understanding subtraction 100s, a 100 for 10s, or a 10 for 1s may be value grid to subtract, including exchanges of the place value of any exchange required. with exchange where needed. necessary. m (n) (n) (n) Th 0 0 0 2 0 00000 70000 4 2 0 8 3 0 Column Understand why two exchanges may be Make exchanges across more than one Make exchanges across more than one subtraction column where there is a zero as a place column where there is a zero as a place necessary. holder. with exchange holder. 2,502 - 243 = ? across more 2,502 - 243 = ? 2,502 - 243 = ? than one column I need to exchange a 10 for some 1s, but

there are not any 10s here.

		Th H T O 2 48 10 2 - 2 4 3 Th H T O 2 48 9 2 - 2 4 3 Th H T O 2 48 9 8 2 - 2 4 3 2 2 5 9
Representing subtractions and checking strategies	Use bar models to represent subtractions where a part needs to be calculated. Total 5,762 ? 2,899 Yes votes No votes I can work out the total number of Yes votes using 5,762 - 2,899. Bar models can also represent 'find the difference' as a subtraction problem. Danny 899 Luis 1,005	Use inverse operations to check subtractions. I calculated 1,225 - 799 = 574. I will check by adding the parts. $ \frac{\text{Th H T O}}{7 \text{ q q}} $ $ + \frac{5 7 4}{1 \text{ 3 7 3}} $ The parts do not add to make 1,225. I must have made a mistake.
Year 4	-	3

Multiplication			
Multiplying by multiples of 10 and 100	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.	Use known facts and understanding of place value and commutativity to multiply mentally.
	3 groups of 4 ones is 12 ones. 3 groups of 4 tens is 12 tens. 3 groups of 4 hundreds is 12 hundreds.	3 × 4 = 12 3 × 40 = 120 3 × 400 = 1,200	4 × 7 = 28 4 × 70 = 280 40 × 7 = 280 4 × 700 = 2,800 400 × 7 = 2,800
Understanding times-tables up to 12 × 12	Understand the special cases of multiplying by 1 and 0.	Represent the relationship between the ×9 table and the ×10 table.	Understand how times-tables relate to counting patterns.
W 12 ^ 12			Understand links between the ×3 table, ×6 table and ×9 table 5 × 6 is double 5 × 3
	5 × 1 = 5	Represent the ×11 table and ×12 tables in relation to the ×10 table.	$\times 5$ table and $\times 6$ table I know that $7 \times 5 = 35$ so I know that $7 \times 6 = 35 + 7$.
			×5 table and ×7 table 3 × 7 = 3 × 5 + 3 × 2
		2 × 11 = 20 + 2 3 × 11 = 30 + 3 4 × 11 = 40 + 4	3×5 3×2
		4 × 12 = 40 + 8	*9 table and *10 table 6 * 10 = 60 6 * 9 = 60 - 6

Understanding and using partitioning in multiplication

Make multiplications by partitioning.

4 × 12 is 4 groups of 10 and 4 groups of 2.




$$4 \times 12 = 40 + 8$$

Understand how multiplication and partitioning are related through addition.

0000000


0000000

 $4 \times 8 = 32$





Use partitioning to multiply 2-digit numbers by a single digit.



Column multiplication for 2- and 3-digit numbers multiplied by a single digit

Use place value equipment to make multiplications.

Make 4 × 136 using equipment.



I can work out how many 1s, 10s and 100s.

There are 4 × 6 ones... 24 ones There are 4 × 3 tens ... 12 tens *There are 4 × 1 hundreds ... 4 hundreds*

Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.



Use the formal column method for up to 3-digit numbers multiplied by a single digit.

Understand how the expanded column method is related to the formal column method and understand how any exchanges are related to place value at each stage of the calculation.

Multiplying more than two numbers	Represent situations by multiplying three numbers together.	Understand that commutativity can be used to multiply in different orders.	Use knowledge of factors to simplify some multiplications.
	Each sheet has 2×5 stickers. There are 3 sheets. There are $5 \times 2 \times 3$ stickers in total. $5 \times 2 \times 3 = 30$ $10 \times 3 = 30$	2 × 6 × 10 = 120 12 × 10 = 120 60 × 2 = 120	$24 \times 5 = 12 \times 2 \times 5$ $12 \times 2 \times 5 = 2 \times 12 \times 10 = 120$ So, $24 \times 5 = 120$
Year 4 Division			
Understanding the relationship between	Use objects to explore families of multiplication and division facts.	Represent divisions using an array.	Understand families of related multiplication and division facts.
multiplication and division, including times-tables			I know that 5 × 7 = 35 so I know all these facts:
wites tubles	4 × 6 = 24 24 is 6 groups of 4. 24 is 4 groups of 6. 24 divided by 6 is 4. 24 divided by 4 is 6.	28 ÷ 7 = 4	5 × 7 = 35 7 × 5 = 35 35 = 5 × 7 35 = 7 × 5 35 ÷ 5 = 7 35 ÷ 7 = 5 7 = 35 ÷ 5

			5 = 35 ÷ 7
Dividing multiples of 10 and 100 by a single digit	Use place value equipment to understand how to use unitising to divide.	Represent divisions using place value equipment.	Use known facts to divide 10s and 100s by a single digit.
	8 ones divided into 2 equal groups 4 ones in each group 8 tens divided into 2 equal groups 4 tens in each group	$q \div 3 =$ 1	15 ÷ 3 = 5 150 ÷ 3 = 50 1500 ÷ 3 = 500
	8 hundreds divided into 2 equal groups 4 hundreds in each group	9 tens divided by 3 is 3 tens. 9 hundreds divided by 3 is 3 hundreds.	
Dividing 2-digit and 3-digit numbers by a	Partition into 10s and 1s to divide where appropriate.	Partition into 100s, 10s and 1s using Base 10 equipment to divide where appropriate.	Partition into 100s, 10s and 1s using a part- whole model to divide where appropriate.
single digit by partitioning into 100s, 10s and 1s	39 ÷ 3 = ? 3 × 10 = 30 3 × 3 = 9	39 ÷ 3 = ? 3 groups of I ten 3 groups of 3 ones	$142 \div 2 = ?$ 140 $100 \div 2 = $
	39 = 30 + 9 30 ÷ 3 = 10	39 = 30 + 9 30 ÷ 3 = 10	100 ÷ 2 = 50 40 ÷ 2 = 20 6 ÷ 2 = 3
	$9 \div 3 = 3$	9 ÷ 3 = 3	6 + 2 = 3 50 + 20 + 3 = 73

	<i>39 ÷ 3 = 13</i>	39 ÷ 3 = 13	142 ÷ 2 = 73
Dividing 2-digit and 3-digit numbers by a	Use place value equipment to explore why different partitions are needed.	Represent how to partition flexibly where needed.	Make decisions about appropriate partitioning based on the division required.
single digit, using flexible	42 ÷ 3 = ?	84 ÷ 7 = ?	72 72 72 72
partitioning	I will split it into 30 and 12, so that I can divide by 3 more easily.	I will partition into 70 and 14 because I am dividing by 7.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
		84 $70 \div 7 = 10$ $14 \div 7 = 2$ $84 \div 7 = 12$	Understand that different partitions can be used to complete the same division. $ \begin{array}{c} $
			132 120 + 3 = 40 12 + 3 = 4 132 30 30 30 30 12 30 + 3 = 10 30 + 3 = 10 30 + 3 = 10 30 + 3 = 10 12 + 3 = 4
Understanding remainders	Use place value equipment to find remainders.	Represent the remainder as the part that cannot be shared equally.	Understand how partitioning can reveal remainders of divisions.
	85 shared into 4 equal groups There are 24, and 1 that cannot be shared.		95 80 15
		72 ÷ 5 = 14 remainder 2	80 ÷ 4 = 20 12 ÷ 4 = 3 95 ÷ 4 = 23 remainder 3