

RISK Assessment - 6513RA


Information valid as of 02/09/2021 10:20





Assessor Assessment Date Assigned Reviewer Next Review Date	Debbie Carmichael 19/08/2021 Debbie Carmichael 28/02/2022	Associated with specific area Education Academy Schools Celtic Cross Education
Operation Assessed	COVID-19 Reopening Schools	Bishop Bronescombe CE Primary School
Description of work area and/or activity assessed		
Reopening schools to the general populace and controlling the risks associated with COVID-19		















Current Rating	Hazard Information	Task Status
Medium	Training / Competence Lack of up-to-date information for students and parents/guardians.	0 0 0
Measures Currently in place to prevent risk of injury		
	Updated parent information has been sent out via newsletter / class dojo. Any further changes to policy and procedures due to PHE or DfE advice to be communicated to parents via Dojo and email with text alert.	
























To balance the need for increased ventilation while maintaining a comfortable temperature, consider:

- · opening high level windows in colder weather in preference to low level to reduce draughts
- increasing the ventilation while spaces are unoccupied (for example, between classes, during break and lunch, when a room is
- providing flexibility to allow additional, suitable indoor clothing
- rearranging furniture where possible to avoid direct draughts

When DfE CO2 monitors are delivered, SLT / Site supervisor will check CO2 levels in each classroom and office. Remedial actions will be instigated if room is not ventilated sufficiently well enough.



Current Rating	Hazard Information	Task Status
Medium	Biological Close contact in crowded areas such as corridors, etc.	0 0 0
	Measures Currently in place to prevent risk of injury	
	Access to corridors limited. Each phase has own outdoor play area to reduce need to access corridors / exits at same time. Children to enter / exit classes by class exterior door where available. (All except Phoenix and Angels have own doors. These classes can use different doors when accessing outdoor areas. When children are moving to hall, they should line up, one behind the other, in single file, thereby limiting close face to face contact.	
	See contingency plan for further measures to be employed if cases are prevalent in school or if local This would include the wearing of face coverings and limiting numbers in common areas.	area transmission rises.









Potential Rating	Additional Controls Required
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.








Potential Rating	Additional Controls Required
Medium	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.

Current Rating	Hazard Information	Task Status
Medium	Biological Disposal of potentially contaminated waste.	0 0 0
	Measures Currently in place to prevent risk of injury	
	Potentially contaminated materials are to be thrown away in lidded bins and disposed of at the end of each day. Staff use one J-cloth per day and dispose. Lidded bins placed in every area. Bin bags to be disposed of daily. Any waste in a class where any pupil / staff member that develops symptoms has been should be disposed of in yellow bags. This should be double-bagged, placed in a separate shed (staging shed) and 'quarantined' for 72 hours.	
	Andy Roberts to be responsible for ensuring 72 hours quarantine.	uis.

Potential Rat	ing Additional Controls Required
Medium	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.










Current Rating	Hazard Information	Task Status
Medium	Biological Cross-contamination from contact with frequently touched surfaces (door handles, hand-rails, tables, etc)	0 0 0
	Measures Currently in place to prevent risk of injury	
	All shared facilities / frequently touched surfaces are subject to increased cleaning regime. At least x2 per day (x1 during the school day and x1 at end of day by cleaners). A cleaning rota / checklist is in place to ensure this is completed.	









Potential Rating	Additional Controls Required
Medium	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.

Current Rating	Hazard Information	Task Status
Medium	Housekeeping Lack of appropriate cleaning materials and personal protective equipment for cleaning and catering staff	0 0 0
	Measures Currently in place to prevent risk of injury	
	Identified member of staff (LM) to monitor PPE stocks / (CS/AR to maintain cleaning product stocks) and order when starting to get low. Stocks stored in easily accessible area for topping up as needed.	



